



Certificate of Compliance

This certificate is issued for the following:

Fire Pump Flowmeter Systems

Model GT-FluxFP

(see attached listing)

Prepared for:

TornaTech Inc.
4100 Desserte Sud, (A-440 Ouest)
Laval, Quebec H7T 0H3, CAN

FM Approvals Class: 1046

Approval Identification: PR455499

Approval Granted: November 13, 2019

To verify the product continues to be Approved please refer to www.approvalguide.com.

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', written over a horizontal line.

David B. Fuller
VP, Manager – Fire Protection
FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 02062 USA



Member of the FM Global Group



Certificate of Compliance

<i>Model designation</i>	<i>Pump rating gal/min (dm³/min)</i>	<i>Meter size inch (DN)</i>	<i>OD inch (mm)</i>	<i>Connection</i>
GT-FluxFP-01-#EB	50 (190)	2 (50)	2.375 (60.3)	Cut Groove
GT-FluxFP-01-#UC	100 (380)	2.5 (65)	2.875 (73.0)	Cut Groove
GT-FluxFP-01-#FC	100 (380)	2.5 (65)	3.000 (76.1)	Cut Groove
GT-FluxFP-01-#GD	150 (565)	3 (80)	3.500 (88.9)	Cut Groove
GT-FluxFP-01-#GE	200 (755)	3 (80)	3.500 (88.9)	Cut Groove
GT-FluxFP-01-#HF	250 (945)	4 (100)	4.500 (114.3)	Cut Groove
GT-FluxFP-01-#HG	300 (1135)	4 (100)	4.500 (114.3)	Cut Groove
GT-FluxFP-01-#HH	400 (1515)	4 (100)	4.500 (114.3)	Cut Groove
GT-FluxFP-01-#HJ	450 (1750)	4 (100)	4.500 (114.3)	Cut Groove
GT-FluxFP-01-#XK*	500 (1895)	6 (150)	6.500 (165.1)	Roll Groove
GT-FluxFP-01-#XL*	750 (2840)	6 (150)	6.500 (165.1)	Roll Groove
GT-FluxFP-01-#XM*	1000 (3785)	6 (150)	6.500 (165.1)	Roll Groove
GT-FluxFP-01-#XN*	1250 (4730)	6 (150)	6.500 (165.1)	Roll Groove
GT-FluxFP-01-#KK*	500 (1895)	6 (150)	6.625 (168.3)	Roll Groove
GT-FluxFP-01-#KL*	750 (2840)	6 (150)	6.625 (168.3)	Roll Groove
GT-FluxFP-01-#KM*	1000 (3785)	6 (150)	6.625 (168.3)	Roll Groove
GT-FluxFP-01-#KN*	1250 (4730)	6 (150)	6.625 (168.3)	Roll Groove



Member of the FM Global Group



Certificate of Compliance

<i>Model designation</i>	<i>Pump rating gal/min (dm³/min)</i>	<i>Meter size inch (DN)</i>	<i>OD inch (mm)</i>	<i>Connection</i>
GT-FluxFP-01-#LP*	1500 (5680)	8 (200)	8.625 (219.1)	Roll Groove
GT-FluxFP-01-#LQ*	2000 (7570)	8 (200)	8.625 (219.1)	Roll Groove
GT-FluxFP-01-#LR*	2500 (9465)	8 (200)	8.625 (219.1)	Roll Groove
GT-FluxFP-01-#LS*	3000 (11 355)	8 (200)	8.625 (219.1)	Roll Groove
GT-FluxFP-01-#MT*	3500 (13 250)	10 (250)	10.750 (273.0)	Roll Groove
GT-FluxFP-01-#MU*	4000 (15 140)	10 (250)	10.750 (273.0)	Roll Groove
GT-FluxFP-01-#MV*	4500 (17 035)	10 (250)	10.750 (273.0)	Roll Groove
GT-FluxFP-01-#NW*	5000 (18 925)	12 (300)	12.750 (323.9)	Roll Groove



Member of the FM Global Group