

Standard Lead Time Indicator - Controllers with or without Options

For products manufactured at Tornatech FZE in the Dubai, U.A.E (JAFZA) manufacturing facility.

Full Service Electric Fire Pump Controllers with or without Transfer Switch											
Model	Standard Controller				Controller with Options Included						
	Voltage	Smaller HP	Voltage	Larger HP	All Voltages						
	200-208	Consult Factory			D33 and/or F12 - IP66 Enclosure Assembly	D13 and/or F6 - Intermediate withstand rating for full Service	D13B and/or F6B - High withstand rating for Full Service	D12 and/or F5 - NEMA 4X assembly stainless steel -304 painted D12A and/or F5A - NEMA 4X assembly stainless steel -316 brushed finish D12B and/or F5B - NEMA 4X assembly stainless steel -304 brushed finish D12C and/or F5C - NEMA 4X assembly stainless steel -316 painted			
	220-240										
	380-416	5-350	380-415	400-450	D11 and / or F04 - NEMA 4 Enclosure Assembly						
	440-480	Consult Factory									
	600										
		Working Days	Weeks	Working Days	Weeks	Working Days	Weeks	Working Days	Weeks	Working Days	Weeks
GPA	20	4	40	8	25	5	Consult Factory		95	19	
GPA+GPU	30	6	40	8	35	7			95	19	
GPP	20	4	40	8	25	5			95	19	
GPP+GPU	30	6	40	8	35	7			95	19	
GPY	20	4	40	8	25	5			95	19	
GPY+GPU	30	6	40	8	35	7			95	19	
GPW	35	7	40	8	35	7			95	19	
GPW+GPU	35	7	40	8	35	7			95	19	
GPS	25	5	40	8	25	5			95	19	
GPS+GPU	30	6	40	8	35	7			95	19	
GPR	80	16	80	16	80	16			95	19	
GPR+GPU	80	16	80	16	80	16			95	19	

Conditions:

- o Shorter lead times are available for most products on an individual basis. Contact Tornatech for products with urgent shipping requirements.
- o The above lead times apply for single controller order. If the quantity required is more than one, please consult factory.
- o Lead Time is from date purchase order is received to date controller ships from Tornatech.
- o Working (business) days are considered Monday to Friday. Statutory holidays (Canadian and/or American) and weekends (Saturday and Sunday) are not considered working days.
- o Tornatech reserves the right to make changes to the above without notice.

Jockey Pump Controllers							
Model	Standard Controller		Controller with Options Included				
	Voltage	HP	All Voltages				
	Single phase		D37 - 100kA high short circuit withstand rating for 200V to 600V	D10 - NEMA 4X assembly stainless steel -304 painted D10A - NEMA 4X assembly stainless steel -316 painted D10B - NEMA 4X assembly stainless steel -304 brushed finish D10C - NEMA 4X assembly stainless steel -316 brushed finish			
	110-120	Consult Factory					
	200-240						
	Three phase						
	200-208	Consult Factory					
	220-240						
	380-415	0.25-30					
	440-480	Consult Factory					
600							
Working Days	Weeks	Working Days					
JP1, JP2, JP3	20	4	Consult factory	95	19		
JPY	20	4	Consult factory	95	19		
JPD	35	7	Consult factory	95	19		
JPS	Consult factory		Consult factory	95	19		

Diesel Fire Pump Controller												
Model	Standard Controller			Controller with Options Included								
				All Voltages								
				D26 - Combined low and high fuel level float switch 1-1/4" D26A - Combined low and high fuel level float switch 1-1/2"	D3A - NEMA 4X assembly stainless steel-304 painted red D3C - NEMA 4X assembly stainless steel-316 painted red	D3B - NEMA 4X assembly stainless steel-304 brushed finish D3D - NEMA 4X assembly stainless steel-316 brushed finish D25A - Mounting stand stainless steel-304 painted D25B - Mounting stand stainless steel-304 brushed finish D25C - Mounting stand stainless steel-316 painted D25D - Mounting stand stainless steel-316 brushed finish						
GPD	20	4	50	10	45	9	95	19				

Conditions:

- o Shorter lead times are available for most products on an individual basis. Contact Tornatech for products with urgent shipping requirements.
- o The above lead times apply for single controller order. If the quantity required is more than one, please consult factory.
- o Lead Time is from date purchase order is received to date controller ships from Tornatech.
- o Working (business) days are considered Monday to Friday. Statutory holidays (Canadian and/or American) and weekends (Saturday and Sunday) are not considered working days.
- o Tornatech reserves the right to make changes to the above without notice.

Alarm and Shutdown Panels				
Model	Standard Controller		Controller with Options Included	
			All Voltages	
			For APx ONLY D11 - NEMA 4X assembly stainless steel-304 painted red	
	Working Days	Weeks	Working Days	Weeks
APE, APEE, APD, APDD, APED	20	4	95	19

GT-FluxFP-A Orifice Type - Analog Flow Meter			GT-FluxFP-D Orifice Type - Digital Flow Meter	
Pipe Size	Working Days	Weeks	Working Days	Weeks
2"	35	7	Consult factory	
2.5"	35	7		
3"	35	7		
4"	35	7		
6"	35	7		
8"	35	7		
10"	35	7		
12"	35	7		

Note: Shorter lead times are available on an individual basis. Contact Tornatech for urgent shipping requirements.

Conditions:

- o Shorter lead times are available for most products on an individual basis. Contact Tornatech for products with urgent shipping requirements.
- o The above lead times apply for single controller order. If the quantity required is more than one, please consult factory.
- o Lead Time is from date purchase order is received to date controller ships from Tornatech.
- o Working (business) days are considered Monday to Friday. Statutory holidays (Canadian and/or American) and weekends (Saturday and Sunday) are not considered working days.
- o Tornatech reserves the right to make changes to the above without notice.