

Thank you for giving UL the opportunity to partner with you.

Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

EX3971-20061111-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™



Certificate of Compliance

Certificate Number:

UL-US-2337002-4

Report Reference:

EX3971-20061111

Issue Date:

2025-05-15

Issued to:

TORNATECH INC 4100 Desserte Sud, (A-440 Ouest), Laval, QC, H7T 0H3, CA

This certificate confirms that representative samples of:

QYZS - Pump Controllers, Fire

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 218, Edition: 3, Issue Date: 2015-9-16, Revision Date: 2020-9-10, UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2337002-4 EX3971-20061111

Date 2025-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Pump Controllers, horsepower rated

Model(s): GPA, GPAe, GPP, GPR, GPS, GPV, GPYe or GPW, may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Fire Pump controllers, horsepower rated

Model(s): VPA or VPS followed by a number 200 through 600 with / followed by a number 5 through 450 with /, followed by 3 with /, followed by 50 or 60 or 50/60

Fire Pump controllers, kilowatt rated

Model(s): VPA or VPS followed by -380 through 415/, VPU followed by -380 through 415/ followed by a number 4 through 250 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60

Fire pump controllers, kilowatt rated

Model(s): GPA, GPAe, GPP, GPR, GPS, GPV, GPY, GPYe or GPW, followed by -380/or 400/ or 415/ followed by a number 0.75 through 560 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60

Limited service fire pump controllers horsepower rated

Model(s): GPL may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 30 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service fire pump controllers, kilowatt rated

Model(s): GPL followed by -380/or 400/ or 415/ followed by a number 0.75 through 22 with kW/, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service transfer switch, for connection to a second utility, horsepower rated

Model(s): GLU may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 30 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service transfer switch, for connection to a second utility, kilowatt rated

Model(s): GLU followed by -380/or 400/ or 415/ followed by a number 0.75 through 22 with kW/, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Transfer Switches, horsepower rated

Model(s): VPU followed by a number 200 through 600 with / followed by a number 5 through 450 with /, followed by 3 with /, followed by 50 or 60 or 50/60

Transfer switch, horsepower rated

Model(s): GPU may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Transfer switch, kilowatt rated

Model(s): GPU followed by -380/or 400/ or 415/ followed by a number 0.75 through 560 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60





Certificate Number:

UL-CA-2332256-4

Report Reference:

EX3971-20061111

Issue Date:

2025-05-15

Issued to:

TORNATECH INC 4100 Desserte Sud, (A-440 Ouest), Laval, QC, H7T 0H3, CA

This certificate confirms that representative samples of:

QYZS7 - Pump Controllers, Fire Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 263-15, Edition: 2, Issue Date: 2015-9-16, Revision Date: 2020-9-10, NFPA 20, Issue Date: 2013

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2332256-4
Report reference EX3971-20061111

Date 2025-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Pump Controllers, horsepower rated

Model(s): GPA, GPAe, GPP, GPR, GPS, GPV, GPY, GPYe or GPW, may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Fire Pump controllers, horsepower rated

Model(s): VPA or VPS followed by a number 200 through 600 with / followed by a number 5 through 450 with /, followed by 3 with /, followed by 50 or 60 or 50/60

Fire Pump controllers, kilowatt rated

Model(s): VPA or VPS followed by -380 through 415/, VPU followed by -380 through 415/ followed by a number 4 through 250 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60

Fire pump controllers, kilowatt rated

Model(s): GPA, GPAe, GPP, GPR, GPS, GPV, GPY, GPYe or GPW, followed by -380/or 400/ or 415/ followed by a number 0.75 through 560 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60

Limited service fire pump controllers horsepower rated

Model(s): GPL may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 30 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service fire pump controllers, kilowatt rated

Model(s): GPL followed by -380/or 400/ or 415/ followed by a number 0.75 through 22 with kW/, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service transfer switch, for connection to a second utility, horsepower rated

Model(s): GLU may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 30 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Limited service transfer switch, for connection to a second utility, kilowatt rated

Model(s): GLU followed by -380/or 400/ or 415/ followed by a number 0.75 through 22 with kW/, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Transfer Switches, horsepower rated

Model(s): VPU followed by a number 200 through 600 with / followed by a number 5 through 450 with /, followed by 3 with /, followed by 50 or 60 or 50/60

Transfer switch, horsepower rated

Model(s): GPU may be followed by a number 110 through 575 with - or / followed by a number 200 through 600 with /, followed by a number 1 through 500 with /, followed by 1 or 3 with /, followed by 50 or 60 or 50/60

Transfer switch, kilowatt rated

Model(s): GPU followed by -380/or 400/ or 415/ followed by a number 0.75 through 560 with kW/, followed by 3 with /, followed by 50 or 60 or 50/60

